

Experience

our Commitment

Interactive & Video Conferencing

2025 Your Trusted Partner in Audio Visual, Multimedia & Robotics
004 Bringing Reality To Your Vision

ALSO AVAILABLE

- Air-Mouse Keyboard
- A-Frame Boards
- Audio systems
- Auto Tracking Cameras
- Bulletin Boards
- Cables VGA | USB | HDMI | CAT6 | Network
- Cable Patch-points
- Ceiling Box
- Ceiling Mount Brackets | Projector Cage
- Certificate Holder
- Chalk & Chalk Holder
- Chalkboards
- Cleaning chemicals
- Clipboards
- Conferencing Soundbar
- Contract Whiteboards
- Comb Binding Machines
- Combi Boards
- Craft Knives, Blades, Rotary
- Custom Manufactured Products
- Custom Products
- Data Projectors
- Dictaphones
- Display Cases
- Easy Rail System
- Earphones - Wired & Wireless
- Educational Boards - CKS Complaint
- Erasers & Aqua Wipes
- Face Shields
- Flipchart Accessories - Flipchart Paper
- Flipchart - Standard & Delux Models
- Floating Glass Whiteboard
- Glassboards - Magnetic & Non Magnetic, Printed
- Glass | Chalkboard markers
- Guillotines
- Graphic Wired Tablet
- Headphones - Wired & Wireless
- Hospital Glass Board
- In / Out Boards
- Industry related Stationery
- Info Boards
- Installation
- Interactive Touch LED Panels
- Wireless Presentation
- Interactive Whiteboard Systems - IR Board
- Interactive Whiteboard Systems
- Intubation Box
- Janitorial Products
- Keystone Adjustment Brackets
- Laminator Consumables
- Laminators
- Laser Pointers
- Lectern & Wireless Mic
- LED Modular Display
- Megaphone
- Microphones USB / Wireless / Wired
- Mobile Bluetooth Speaker
- Mobile / Revolving Board
- Magnets
- Monitor Clamp Brackets
- Mounting Brackets
- Office Equipment & Whiteboard Cleaner
- Perpetual Year Planners - Magnetic & Glass
- Pin Boards
- Poster Frame / A-Frame
- Power Plugs
- Power Solutions
- Projectors
- Projection Screens - Pulldown / Tripod / Electric / Fixed
- Sound Booths
- Splashbacks
- Streaming Switcher
- Table Pop-ups
- Universal Projector Mounts
- Visualisers
- Video Conferencing Cameras

Visit our on line Store

Our Added Value to you



PRE-SALES

- Consultations | Design | Spec
- Demo sessions - if product allows
- Site inspections

01



IN-SALES

- Distribution
- Installation
- Commissioning

02



AFTER-SALES

- Training
- Remote and on-site support
- Ongoing consultations

03

Why Touch Technology?

Touch technology provides a fast and intuitive interface for users. Computer literacy is no longer an issue as interaction with your content is natural through touch gestures. No keyboard and mouse ensures a neat and efficient environment. Create a bright, colourful touch experience that engages and unites your audience in the classroom and beyond. Multi-touch technology facilitates collaboration, increasing productivity and profitability. Through tablets and smartphones, touch is not a new concept anymore, Children and adults alike naturally adopt to large format screens. Presenting interactive material ensures the focus of your audience remains constantly fixed.



Natural

Engaged

Collaborative

Benefits of Touch LED?

Easy to use with any windows laptop or computer.
Gives full touch access to any program or app installed on your Operating System.
Facilitates hand writing recognition that automatically converts hand writing to text.
Navigate through documents, videos, presentations or websites using gestures.
Share your documents, graphs and multi-media with anyone, anytime.
Facilitates annotating over any application.



Benefits of Touch LED?

Touch gestures is more natural to humans than moving and clicking the presentation device (mouse or clicker)
Brainstorming and collaborating on windows and or documents is profoundly easy.
Annotating on programs greatly enhances productivity and experience turning the experience into a multi-way channel where all participants can add ideas for engagement.
Elevates your chosen software suites



Touch LED Panels is not restricted to any one industry

Small to large office | Small to large boardroom | Small to large training room | Brainstorming room

Self service Kiosk



Engage with users and customers by allowing them to interact with photos, videos, documents, webpages, global maps and all kinds of different applications.

Architecture



Experience a whole new level of possibilities when designing and creating architecture projects. Facilitate virtual tours and deeper level of interaction with a greater level of detail.

Boardroom



Present meetings on the Touch panel in your boardroom & schools. Make use of the Microsoft office products to organise and manage your meetings.

Conferencing



Explore live webinar meetings over the web to present, discuss or demonstrate. Participants can view documents and applications via their computers, while shared audio allows for presentation and discussion.



**We
install
just about
anywhere**

friendly & efficient teams
affordable rates
installation of any of our product range

☎ 031 702 7773
✉ sales@visualworks.co.za
🌐 www.visualworks.co.za



- Enjoy secure, seamless collaboration and superior video conferencing with our premium all-in-one interactive display
- All-in-one Windows-Based Interactive Flat Panel Powered by maxhub OS
- This Windows-based Maxhub Xboard provides seamless compatibility
- See everything, miss nothing. 50MP cameras with 2x optical and 5 x hybrid zoom, combined with AI-powered viewing options, ensure every participant is seen and heard, promoting dynamic and inclusive collaboration. Transform your meeting experience with unparalleled visual clarity.



55" 65" 75" 86"

Larger sizes on request





Advance Collaboration to a New Level


with Hikvision Interactive Flat Panel Displays

55' 65' 75' 86'

Larger sizes on request

Meeting rooms create a collaborative environment where great ideas are discovered, nurtured, and discussed. Where creative imaginations get a space to come to life. Where exciting possibilities get sketched out on scratchpads. And today's technology has the media to help make it happen. To boost communication efficiency, Hikvision developed various commercial display packages for conference room scenarios, such as ample screen size and multi-screen wireless projection for efficient content sharing and discussion, smart interaction for more impressive presentations, and more.

Conventional meeting rooms often require a projector and all the required cabling, a white-board and writing utensils, creating stress as all need to be in top working condition as required.



Hikvision's all-in-one solution replacing all the conventional and supports wireless projection, smart whiteboard, free annotation, remote meeting, scanning code sharing, and more. Meeting every demand for a small to medium size conference room.



Advanced Industrial Design

- 4K anti-glare, 0-gap bonding screen
- Anodizing, 150-mesh sandblasted metal frame
- Slim body with thinnest part only 22.8 mm Linear pen slot with magnetic holding points



Easy Projection

- Supports cable, Wi-Fi, and Airplay projection
- Supports simultaneous projection from 4 signal sources
- Supports HDMI loop out to establish simultaneous, multiple-IFP projection




Smart Whiteboard

- 45-point IR touch for multiple people drawing simultaneously
- Mohs level 7 hardness glass, resistant to fingerprints and scratches
- Supports inserting images, tables, flow charts, etc



Remote Conferencing

- With built-in 8 MP camera and 6-microphone array, users can hold remote conferences with ease



Meetinghub LED Display

LED Display Solution & Service Provider

55' 65' 75' 86'

Larger sizes on request

The JCVISION Interactive Flat Panel integrates functions of computers, projectors, interactive whiteboards, sound boxes, cameras (optional), HDTV's advertising machines and so on. The device integrates technologies like 4K display, infrared touch, human-machine interaction, multimedia information processing, and network transmission and provides users with various features such as writing, annotating, multi-screen sharing, and remote video call (optional). The Interactive Flat Panel is mainly used for classroom teaching, remote video conferences, training and guidance, medical consulting, and other events in various kind of scenarios and applications





Interactive Panel Mobile Stands



- Ideal for meeting and training rooms
- Lockable castors
- Easy to assemble
- Display screen size: 42" - 86"
- Maximum load capacity: 180kg
- Stand height: 1660mm
- Base plate width: 900mm

5 Year Warranty



- Ideal for meeting and training rooms
- Lockable castors
- Suitable for display size: 55" - 86"
- Material: Cold-rolled steel
- Maximum load capacity: 150kg
- Vesa up to 1000 x 600mm
- Height adjustment: 0 - 430mm

5 Year Warranty

Aver DI30 AI Classroom Auto Tracking Camera

Powerful AI-tracked PTZ cameras to support in-person, hybrid and remote Learning

"We did our research and realized that Aver's AI-driven automatic PTZ system is superior to even the best audio-tracked devices. No lecture hall is quiet enough to make audio-tracking work, but the power, flexibility, multi-functionality and simplicity of the AVer system solves for that problem and unlocks features we didn't even know we needed. We are delighted with our choice."

- Jose Tagle, Director of Technology with the Buckley School



Google Meet



Microsoft Teams



Cisco webex




intel UNITE



Distance Learning




Hybrid Classroom



Human Detection



Presenter Mode



Zone Mode



2MP
Camera

12x
Optical Zoom

60fps
@1080p

1080p
FHD

USB/IP
Connectivity

3Year
Warranty



CaptureShare Software

Achieve a Collaborative Classroom Experience



Lesson recording (Desktop, Camera and Document Camera)

Live Streaming/Broadcasting to Youtube, Facebook etc.

Supports two cameras simultaneously together with Desktop

Split Window View and Picture-in-Picture


Built-in annotation tools to enhance any lesson

Available on all platforms (Win10/11, Mac)

Included with AVer Pro AV, AI Tracking and Document Cameras

Wireless Presentation

HubCast



VWHC202

HubCast Pro



VWHC10P

Hubcast 4



VWHC505

AddDongle



VWHC202

No Software

35 - 50m
Range

1
Touch Share
USB Dongle

Full HD +

Support
USB - A &
USB - C



VWMTc4500

Wireless Presentation System

- Wireless presentation tool for collaboration and file sharing
- Allows 16 users to connect Pc's or tablet devices with 4 devices to mirror as main screens
- Offers annotation and whiteboard tool to enhance collaboration.

External Storage

External64



VWXT0064

External128



VWXT0128

External256



VWXT2256

External500




VWXT2500

External Storage USB 3 Type A + USB C
64GB & 128GB Flash Drive

External Storage M.2 SATA Portable
Type C 256GB & 500GB

Projector Brackets



UniPro Projector Mount




- Standard 600mm universal ceiling mount
- Fits all brands
- Tilttable
- Suitable for concrete & suspended ceilings
- Easy to install
- Customizable to 4m poles
- Add on's available

Additional UniPro Projector Mounts



- Security Cage**
- Custom manufactured per projector
 - Lockable



- Projector Shelf**
- Custom manufactured per projector
 - For mobile ceiling mounts

UniPro Short & Ultra Short Throw Projector Mounts




Audio



Screen brackets



Projector Brackets



Product Specifications

- Max Load Capacity: 10kg
- Universal - Fits most projector makes and models
- Height Adjustable (PB_Long)
- Fixed Pole (PB_Short)
- Tilt/Swivel: Left, Right, Up and Down - 25°
- Easy Adjustable Lever
- Includes Plastic Ceiling Cover - ensuring a neat and clean installation
- White in Colour

VWPB_Short

180mm Projector Mount Bracket

VWPB_Long

500-845mm Projector Mount Bracket

LED Vesa Mount Bracket 14-24"

TV/Monitor mount side



Wall mount side



Product Specifications



- Max Load Capacity: 15kg
- Display Size 14" - 24"
- VESA
 - Min: 75 x 75 mm
 - Max: 100 x 100 mm
- Distance to Wall: 15mm
- Tilt: No Tilt Bracket
- Powder Coated: Black
- White in Colour

VWLED_WMVMB-24

LED VESA Mount Bracket 14-24"

Installation Brackets for LED's

VWMVMB24 LED Wall Mount 14 - 24"



Max Load Capacity
15.00KG



Display Size
14" - 24"




Min: 75 x 75mm
Min: 100 x 100mm



Distance to Wall
15mm

VWMHDB60 LED Wall Mount 32 - 60"



Max Load Capacity
60.00KG



Display Size
32" - 60"




Min: 55 x 34mm
Min: 400 x 400mm



Distance to Wall
30mm

VWMHDB90 LED Wall Mount 40 - 90"



Max Load Capacity
100.00KG



Display Size
40" - 90"




Min: 55 x 34mm
Min: 800 x 600mm



Distance to Wall
35mm

VWMHDB120 LED Wall Mount 50 - 120"



Max Load Capacity
120.00KG



Display Size
50" - 105"




Min: 55 x 34mm
Min: 900 x 600mm



Distance to Wall
38mm

VWTMB65L

LED Wall Tilt Mount 26-65"



L
Padlock included



Max Load Capacity
50.00KG



Display Size
26" - 65"



Min: 30 x 80mm
Min: 400 x 400mm





Distance to Wall
47.5mm



Display Tilt Angle
-15° to +15°

VWTMB85

LED Wall Tilt Mount 42-85"



Max Load Capacity
100.00KG



Display Size
42" - 85"



Min: 115 x 35mm
Min: 700 x 500mm




Distance to Wall
70mm



Display Tilt Angle
-15° to +15°

VWMFMB80

LED Full Motion Wall Mount 32-80"



Max Load Capacity
40.00KG



Display Size
32" - 80"



Min: 30 x 50mm
Min: 600 x 400mm



Distance to Wall
75 - 450mm




Display Tilt Angle
-15° to +15°



Arm Swivel Range
-90° to +90°

VWMFMB85L

LED Full Motion Wall Mount 42-85"



Lockable
Padlock Included



Max Load Capacity
45.00KG



Display Size
42" - 85"



Min: 30 x 50mm
Min: 600 x 400mm



Distance to Wall
80 - 400mm




Display Tilt Angle
-15° to +15°



Arm Swivel Range
-90° to +90°

VWFMB98

LED Full Motion Wall Mount 52 - 98"



Lockable
Padlock Included



Max Load Capacity
80,00KG



Display Size
52" - 98"



Min: 30 x 80mm
Min: 800 x 400mm



Distance to Wall
80 - 650mm



Display Tilt Angle
-15° to +15°



Arm Swivel Range
-90° to +90°

VWAL6001

Monitor Clamp Single Arm with Gas Spring



Max Load Capacity
1 - 9KG per arm



Display Size
Fits most 17" - 32" flat & curved monitors



75 x 75 or 100 x 100 VESA compatible



Height Adjustment
745 - 920mm



40° / 360° rotation



Single monitor clamp
Built-in spring tension gauge & gas spring
Cable management

VWAL6002

Monitor Clamp Dual Arm with Gas Spring



Max Load Capacity
1 - 9KG per arm



Display Size
Fits most 17" - 32" flat & curved monitors



75 x 75 or 100 x 100 VESA compatible



Height Adjustment
745 - 920mm



° 40 / 360° rotation









Dual monitor clamp
Built-in spring tension gauge & gas spring
Cable management

VWAL6003


Monitor Clamp Triple Arm with Gas Spring








-  Max Load Capacity
1 - 7kg per arm
-  Display Size
Fits most 17" - 32" flat & curved monitors
-  **VESA**
75 x 75 or 100 x 100 VESA compatible
-  Height Adjustment
745 - 920mm
-  **40° / 360° rotation**
-  Triple monitor clamp
Built-in spring tension gauge & gas spring
Cable management

VWCMB65S


LED Ceiling Mount 32" - 65"






-  Max Load Capacity
30.00KG
-  Display Size
32" - 65"
-  **VESA**
Min: 75 x 55mm
Min: 600 x 400mm
-  Height Adjustment
745 - 920mm
-  Display Tilt Angle
-10° to +40°

VWSTAND86B

LED Mobile Trolley 42" - 86"



-  Max Load Capacity
100.00KG
-  Display Size
42" - 86"
-  **VESA**
Min: 100 x 100mm
Min: 900 x 600mm

We install Nationally in South Africa



friendly & efficient teams

affordable rates

installation of any of our product range

***We
install
just about
anywhere***

☎ 031 702 7773

✉ sales@visualworks.co.za

🌐 www.visualworks.co.za

B-BBEE
LEVEL 2
CONTRIBUTOR



Audio Visual, Multimedia & Robotics Specialist

Tel: 0027 31 702 7773
sales@visualworks.co.za
www.visualworks.co.za

Experience
26 years
our Commitment